


# Duraline<sup>®</sup>

## Single Pole Vulcanizing Press



# Duraline®

## Why Duraline Vulcanizing Press?

- **Premium Materials:** Constructed with robust aluminum, steel, and brass components, exemplifying American-made quality.
- **Advanced Accessories:** Includes 2-piece 500 MCM bushings, along with male and female J-Series and Ball Nose Stop Blocks for reliable, repeatable results.
- **Temperature Precision:** Factory-set temperature range of 325-350°F, calibrated for optimal vulcanization of Neoprene and Hypalon, ensuring consistent performance and bond integrity..




**Duraline's Vulcanizing Press** stands out as the industry leader in molding single-pole connectors, offering unmatched precision and reliability. Built with robust aluminum, steel, and brass, it's designed to endure high-volume production and the harshest conditions. Factory-calibrated temperature settings ensure consistent results when working with Neoprene and Hypalon.

What truly sets it apart is our precision-manufactured stop blocks, which guarantee the most accurate vulcanizing process on the market, significantly reducing variation between press usage. Engineered for efficiency and safety, Duraline's Vulcanizing Press delivers professional-grade connections that exceed industry standards.

# Duraline®

## DA300106-2 Press Specs

- Weight: 34 lbs
- Dimensions: 12 × 12 × 18 inches
- Power Requirements: Compatible with a standard 110V AC outlet, equipped with a NEMA 5-15 molded rubber plug



AD300068-MFB



AD300068-MFJ





AD300068-MFLS



### Duraline Vulcanizing Press Stop Blocks

AD300068-MFB	Ballnose Male and Female Vulcanizing Press Stop Blocks
AD300068-MFJ	J-Series Male and Female Vulcanizing Press Stop Blocks
AD300068-MFLS	Long Shroud Male and Female Vulcanizing Press Stop Blocks



### 2 Piece Bushing Sets

DA200020-6	250 & 262 MCM
DA200020-5	350 & 373 MCM
DA200020-6	400 & 444 MCM
DA200020-5	4/0 W & DLO
DA200006-5	500 & 535 MCM

# Duraline Vulcanizing Press Parts & Accessories



## Duraline Brass Come-A-Longs

DA200020-6	Duraline Brass Come-A-Long for Female Single Pole Connectors
DA200020-5	Duraline Brass Come-A-Long for Male Single Pole Connectors

## Assembly Materials

A003069-Dura-1	Vulcanizing Molding Tape - Single Roll
A003069-Dura-6	Vulcanizing Molding Tape - Six Roll Pack
M182700	Connector Maintenance Kit
A006996	Copper Shims for Cam Lok Single Pole Connectors
7447	Stoner Lubricating Spray
7449	Stoner A500 Cleaner / Degreaser Spary

## Replacement Parts

D100827-4	Replacement Amber Panel Mount Light
D100827-3	Replacement Red Panel Mount Light
D100826-3	Replacement On Button
D100826-3	Replacement Heater Rod
D200704-2	Thermostat with Bracket
D600483-1	Thermomelt Temperature Range Finder Pen



## Recommended Vulcanizing Adhesive: Chemlok 238 (NW)

Due to safety regulations and handling requirements, Chemlok 238 cannot be purchased directly from our company. To ensure proper handling and compliance with safety standards, please contact us directly at 1-386-873-2990. We'll gladly recommend authorized distributors who can safely provide this product for your application needs.